REFRIGERADORES DE BANCO DE SANGRE

LBB-101GR LBB-102GR LBB-112GR

LBB-103GR LBB-104GR

DESCRIPCIÓN

MODEL		LBB-101GR	LBB-102GR	LBB-112GR	LBB-103GR	LBB-104GR
Type		Bench Top	Floor Standing			
Dimensions (W x D x H mm)	Interior	460 x 420 x 630	560 x 660 x 800	500 x 640 x 1400	620 x 700 x 1410	1140 x 700 x 1410
	Exterior	560 x 627 x 850	683 x 796 x 1490	600 x 750 x 1640	740 x 826 x 2000	1260 x 826 x 2000
Capacity		105 ℓ	295 ℓ	421 ℓ	612 ℓ	1125 ℓ
Compressor		1 / 8 HP	1 / 4 HP	1 / 4 HP	1 / 4 HP	1 / 2 HP
Temperature	Range	4℃				
	Uniformity	± 1℃ at 4℃				
Display		4 Digit LED Display & LED Signal Lamps				
Controller		Microprocessor Digital PID Controller with Battery Back Up System				
Material	Interior	Stainless Steel 304				
	Exterior	Epoxy Powder Coated EGI Steel				
Insulation		High Density Polyurethane (Thickness : 60 mm)				
Air Circulation		Turbo Fan with Automatic Stop / Run During Door Open				
Drawer Shelves		1EA & 1Basket	3 EA	6 EA	6 EA	12 EA

Door		Vacuum Sealed Pair Glass Swing Door with Invisible Heat Film Embedded, Key locker, Adjustable Tension Spring, Magnetic Packing Door
Safety		High/Low Temp. Alarm, Electric Current Leakage Breaker, Audible and Visible Alarm
Voltage		220V, 50/60Hz, 1 Phase (Option: 110V, 60Hz)
Optional Size Available for LBB-104GR	Interior	1370 x 700 x 1440
	Exterior	1490 x 850 x 2000
	Capacity	1352 ℓ
Power Consumption (220V)		

*Specifications can be changed without prior notice for quality improvement
*Custom made order is available

Packing Dimensions Approx. including carton (W×D×Hmm)		x x	800 x 910 x 1680	x x	840 x 1000 x 2100	1310 x 850 x 2100
Net Weight	Approx		154		194	205
Gross Weight	Approx		169		209	220